



# CATALOG

## OF ENERGY-SAVING HEATERS

### UDEN-S<sup>®</sup>







- wall heaters
- ceiling heaters
- warm plinth
- design heaters with drawings handmade
- design heaters with photo printing
- porcelain stoneware design heaters



### **Heaters UDEN-S® - harmony of style, warmth and comfort**

*How do you see a modern heating system? It certainly should be convenient and affordable, economical in work, reliable and at the same time stylish and elegant. All these qualities are ideally combined in energy-saving heaters UDEN-S®.*

*Remember, you just already saw them somewhere. You could have seen them in a house with close friends, a kindergarten or school of your baby or perhaps, on the walls of your favorite cafe. For 10 years now we have been giving warmth and the beauty of hundreds of thousands of our customers throughout Ukraine. Our panels heat apartments and private houses, objects of social sphere and commercial real estate.*

*During this time, wall and ceiling models, a warm plinth and design heaters had time to fervently love not only in Ukraine. They also conquered the hearts of residents of Germany, Austria, Italy, Great Britain, Estonia, Poland, Bulgaria, Latvia and Belarus.*

*Equipment UDEN-S® breaks the template representation of what should be heating and it opens unlimited space for realization of the most daring ideas. Incarnate them together with designer heaters – this exclusive, which will become stylish and irreplaceable element of any interior, be it a small city apartment, a solid office or a respectable restaurant.*

*Let's create warmth and coziness together – with us it's warm and beautiful!*

*With love, your UDEN-S®*



**Design-heater with hand-painted «Lucrezia» in the interior**




*Energy-saving heaters UDEN-S® – is more than 180 models of non-liquid electrical panel heaters from 100 to 700 W. They differ in design, size, mounting technology, but have common bright advantages in comparison with other heating systems and are ideal for basic or additional heating of premises in which people are for a long time.*

### How heaters UDEN-S® work


The basis of the UDEN-S® equipment is the principle of direct heating of the room (no boilers, boiler rooms, pipes, pumps and the usual coolant). Soft rays of heat, falling on the surface of walls, floors, various objects, gradually warm them up. Due to the mutual exchange of heat between heated objects, air is heated. In such conditions, we feel much more comfortable than with convection heating, and in payment we save up to 60%!

### Unique heat-storage composition

Ceramic-ceramic and ceramic-granite heaters UDEN-S® are different in design and production technology, but they possess one common feature - a unique natural heat accumulator in their composition.



In **metal-ceramic heaters** consist of a ceramic stove, obtained by a semi-dry pressing under high pressure with a heating element inside. Thanks to this, we get more uniform heat distribution to surfaces and excellent physical properties: high strength, electrical insulation, fire safety, very low moisture absorption, clear shape and aesthetic appearance (thickness of the heater is only 14 mm). From above panel protects the metal case. Heaters start to radiate heat in 5 minutes after switching on, and thanks to the heat accumulator cool in for 1.5 hours, heating the room without wastes of power consumption!



**Porcelain heaters** – are monolithic heating panels with a density of stone and excellent heat storage properties (emit heat 20 minutes after inclusions, but cool during 3-4 hours without power consumption). They are heavy-duty, wear-resistant, durable and absolutely ecological: In production, only clean materials that, when heated they do not emit harmful substances. Heating element inside is protected by a four-layer hydro- and electrical insulation, which provides their safe use.



## We manage the heating system: comfort + saving

Heaters UDEN-S® are controlled by thermostats (thermostats), which react to the temperature air in the room. In each room is installed one thermostat that controls the operation located in her heating equipment (this can be as a single panel and several). If we are talking about Heaters «universal», equipped with a supply wire with a plug, then as a rule, each of them is connected by means of an individual outlet thermostat (it is inserted into a socket, and into it — a plug Panel).

### The thermostat provides:

- ✓ Setting individual temperature in each room;
- ✓ Significant energy savings — the heating system is automatically turned on and off, not spending extra kilowatts (with the correct calculation, the average duration of the system is not more than 5-7 hours per day for the heating season);
- ✓ Maintenance of the minimum temperature with long-term absence of people in the room (function anti-freezing) - very convenient in the case of suburban, holiday cottages or at the time of holidays, business trips, because a decrease in temperature by 1 ° C leads to a decrease in electricity consumption by 5-7%;
- ✓ Redistribution of power heaters — the heating system throughout the house will be cascaded, But not simultaneously, which will reduce the load on the network;
- ✓ Automation of the entire heating system or individual heaters - you save your time or money for staff.

Using programmers with UDEN-S® panels, which include them only at the right time or through the necessary intervals of time, we get additional energy savings (up to 20-30%), the most comfortable microclimate and amazingly simple control of room temperature.

**With the heating system UDEN-S®, you can use any mechanical, electromechanical, electronic programmable thermostats, «mobile» thermostats (for UDEN «Universal»), time relay, «Smart House» control system, etc.**


Thermo regulators, which are used in the installation of our technical specialists and who have long been tested on our sites: SEITRON TM 001M, terneo vt, HEAT PLUS TOP FLOOR M6.716, HEAT PLUS iTeo4.



Outlet thermostat terneo rz



Auto programmable  
weekly thermo  
regulator  
HEAT PLUS TOP  
FLOOR M6.716



Sensor programmable  
Weekly thermo regulator  
HEAT PLUS iTeo4




Electromechanical  
Thermo regulator  
SEITRON TM 001M



Electromechanical thermostat  
SEITRON TM 001M in the interior


## Wall mounted panel heaters

### UDEN-700




Rated consumption:	585-682 W
Rated voltage:	220-230 V
Dimensions (with fixings):	
Width	475 mm
Length	978 mm
Thickness	14 (35) mm
V heating:	30-35 m <sup>3</sup>
S heating at h = 2.5:	12-14 m <sup>2</sup>
Surface temperature:	80±5 C°
Weight:	11,5 kg
Installation method:	wall mounted

### UDEN-500




Rated consumption:	405-472 W
Rated voltage:	220-230 V
Dimensions (with fixings):	
Width	475 mm
Length	800 mm
Thickness	14 (35) mm
V heating:	20-25 m <sup>3</sup>
S heating at h = 2.5:	8-10 m <sup>2</sup>
Surface temperature:	80±5 C°
Weight:	10,0 kg
Installation method:	wall mounted

### UDEN-500D




Rated consumption:	405-472 W
Rated voltage:	220-230 V
Dimensions (with fixings):	
Width	350 mm
Length	975 mm
Thickness	14 (35) mm
V heating:	20-25 m <sup>3</sup>
S heating at h = 2.5:	8-10 m <sup>2</sup>
Surface temperature:	80±5 C°
Weight:	8,0 kg
Installation method:	wall mounted

### UDEN-500K




Rated consumption:	405-472 W
Rated voltage:	220-230 V
Dimensions (with fixings):	
Width	594 mm
Length	594 mm
Thickness	14 (35) mm
V heating:	20-25 m <sup>3</sup>
S heating at h = 2.5:	8-10 m <sup>2</sup>
Surface temperature:	80±5 C°
Weight:	9,0 kg
Installation method:	wall mounted

### UDEN-300



Rated consumption:	288-336 W
Rated voltage:	220-230 V
Dimensions (with fixings):	
Width	240 mm
Length	975 mm
Thickness	14 (35) mm
V heating:	12,5-15 m <sup>3</sup>
S heating at h = 2.5:	5-6 m <sup>2</sup>
Surface temperature:	80±5 C°
Weight:	6,0 kg
Installation method:	wall mounted

### UDEN-250



Rated consumption:	207-241 W
Rated voltage:	220-230 V
Dimensions (with fixings):	
Width	163 mm
Length	975 mm
Thickness	14 (35) mm
V heating:	10-12,5 m <sup>3</sup>
S heating at h = 2.5:	4-5 m <sup>2</sup>
Surface temperature:	80±5 C°
Weight:	4,5 kg
Installation method:	wall mounted

## Equipment



«standard»  
(without a cord or a plug)



«universal»  
(with a cord and a plug)

### In what cases do you use «universals»?

- If for some reason you do not want to install a stationary heating system (for example, in rented apartments or offices).
- As an additional heat source in already heated rooms.
- For heating small rooms, when there is no sense in additional installation

**UDEN «universal»** is a wall panel heater UDEN-S, which includes a supply cord (2 m long) with an electrical plug.



## Legs-stands for heaters - convenient and beautiful!

On the walls there is no place for heaters? Or are you just looking for a "mobile" heater that can easily be moved from room to room? A foot-stand for heating panels UDEN-S® for 1 minute will transform them from wall panels to floor.



**Foot-stand  
for heater UDEN-500 «universal»**

Dimensions: 715x450x260 mm  
Material: wood (pine), metal  
Weight: 1 kg  
Color: pine, white




**Foot-stand  
for the heater UDEN-700 «universal»**

Dimensions: 890x445x255 mm  
Material: wood (pine), metal  
Weight: 1.3 kg  
Color: pine, white

## Ceiling Panel Heaters

They are ideal for heating large areas (shops, shopping centers, warehouses, stations, gas stations, etc.) or local heating of premises.

The heaters are fixed directly to the ceiling or mounted in the profile of «Armstrong». From the wall models they differ in the method of attachment and surface temperature ( $90 \pm 5$  °C), due to their location.



**UDEN-500P**

Rated consumption:	450-525 W
Rated voltage:	220-230 V
Dimensions (with fixings):	
Width	594 mm
Length	594 mm
Thickness	14 (35) mm
V heating:	20-25 m <sup>3</sup>
S heating at h = 2.5:	8-10 m <sup>2</sup>
Surface temperature:	90±5 °C
Weight:	8,0 kg
Installation method:	ceiling

## Warm plinth

**A warm plinth** is an energy-saving heater with a heat accumulator and a metal surface.

From wall and ceiling models it differs in size, power and installation method. But its main feature - in the way of heating the premises. Installed along the cold wall, it directly heats it (tempers). Warm air "sticks" to the walls and slowly rises along them, creating a thermal veil that does not allow the cold to get into a room. The heated walls get rid of excess moisture, spend less heat outside and themselves begin to radiate heat. Thus, the problem of cold moist walls, corners, condensation, and fungus and mold formation is eliminated.



**UDEN-100**




**UDEN-150**



**UDEN-200**

Model:	<b>UDEN-100</b>	<b>UDEN-150</b>	<b>UDEN-200</b>
Rated consumption:	90-105 W	135-157 W	180-210 W
Rated voltage::	220-230 V	220-230 V	220-230 V
Dimensions (with fixings):			
Width	130 mm	130 mm	130 mm
Length	498 mm	750 mm	998 mm
Thickness	14 (35) mm	14 (35) mm	14 (35) mm
V heating::	3,5-5 m <sup>3</sup>	5-7,5 m <sup>3</sup>	7,5-10 m <sup>3</sup>
S heating at h = 2.5:	1,4-2 m <sup>2</sup>	2-3 m <sup>2</sup>	3-4 m <sup>2</sup>
Surface temperature:	80±5 C°	80±5 C°	80±5 C°
Weight:	2,0 kg	3,0 kg	3,5 kg
Installation method:	wall-mounted	wall-mounted	wall-mounted

Save time on installation, because all elements are easily mounted, connecting with each other and through the thermostat to electricity. As standard, the plinth includes 2 side plugs and a decorative clutch.





**Do you want to make your interior design brighter and more expressive?  
Emphasize all its advantages together with the single-color heaters of this series!**

Just choose the right model and order the color among the presented assortment of colors. Additional colors are negotiated individually, according to the RAL classic catalog.

### Wall heaters

UDEN-700		UDEN-500K		UDEN-300	
UDEN-500		UDEN-500D		UDEN-250	

### Warm plinth

UDEN-200	
UDEN-150	
UDEN-100	

### Ceiling heaters

UDEN-500P	
-----------	--

Designer heaters have the same technical characteristics as the standard model. Their cost is indicated already taking into account the color or applied drawing.



**UDEN-700. Classic-2004\***

### The assortment of paints in the presence (According to the catalog of paints RAL Classic) \*\*

#### Glossy inks

1001	1002	1003	1011	1013	1014	1015	1016	1017	1018	1019	1026	1027	1028
1034	1036	1200	1923	2000	2001	2003	2004	2008	2011	2012	3001	3002	3003
3004	3012	3015	3018	3020	3022	3032	3204	4001	4003	4004	4005	4006	4007
4009	4011	5001	5002	5007	5009	5010	5014	5015	5018	5021	5025	5026	6002
6017	6018	6019	6021	6024	6026	6027	6028	6029	6034	6036	6505	7040	7047
7048	8001	8002	8003	8004	8012	8017	8023	8025	8402	9001	9005	9006	9016
9022	9023	9206											

#### Matte paints

1001m	1015m	2004m	3004m	3020m	6005m
6018m	7015m	7016m	9005m	9011m	9016m

When manufacturing UDEN-S panels we use environmentally friendly powder painting technology. It provides good performance characteristics of the coating, its strength, durability, no odor when heated. Painted the surface easily withstands temperature changes and completely fireproof.


**Please note:** the colors in the catalog may differ from the actual ones due to the color rendition printing. For actual color, consult representative of UDEN-S®.

\* Paint code according to the RAL Classic color catalog.


\*\* Codes of colors of each model (according to the RAL Classic color catalog) - to the left of the panel photo.


Tenderness of relaxing pastel shades and energy of bright yellow, green, red flowers – with design heaters of this series it is so easy in winter to dream about summer, warm evenings, sunny sea.

They will create an atmosphere of ease and enhance color combinations in your interior.

















Amazing, elegant, eye-catching design heaters of this series will be a worthy decoration even the most refined interior. After all, every drawing on such a heater is author's manual work, exclusive, which has no analogues in the world.











The painting and all drawings on UDEN-S design heaters are performed only manually, so they may differ slightly from each other on two identical models of production.





Models UDEN-700









Models UDEN-700



**Crystal**

7040

Model: **UDEN-500D**  
 Nom. consumption: 405-472 W  
 Nom. voltage: 220-230 V  
 Dimensions (with fixings):  
 Width: 350 mm  
 Length: 975 mm  
 Thickness: 14 (35) mm  
 V heating: 20-25 m<sup>2</sup>  
 S heating At h = 2.5: 8-10 m<sup>2</sup>  
 Temperature Surface: 80 ± 5 °C  
 Weight: 8.0 kg  
 Installation method: wall mounted

Model UDEN-500D

Cossacks




Little Fairy



Rafik




Lambs-Acrobats



Olaf and Sven




Little House



Cat's House



Funny Aliens



Little Sorceress



Owl



### Little Hedgehog





### Cute Snail





### Mexicans



### Cats and Mice




### Timid Rabbits



Models UDEN-700



### Funny Birds



### Marzipan House



Model:	<b>UDEN-300</b>
Rated consumption:	288-336 W
Rated voltage:	220-230 V
Dimensions (with fixings):	
Width	240 mm
Length	975 mm
Thickness	14 (35) mm
V heating:	12,5-15 m <sup>3</sup>
S heating at h = 2.5:	5-6 m <sup>2</sup>
Surface temperature:	80±5 C°
Weight:	6,0 kg
Installation method:	wall mounted

Models UDEN-300



**Look**

7040

**NEW!**

**Think**

7040

**NEW!**

**Create**

7047

**NEW!**

**Leaf Fall**

1015  
1001  
8012

**NEW!**

**Bike**

9016M

**NEW!**

**Lovey-dovey**

9001  
1016  
6018

**NEW!**

**Giraffe**

1015  
1001  
8017

**Constellation**

8003  
8017

**Creation**

8017  
8023

**Sun**

1015  
8017

**Harley**

1001 1015  
8001 8003

**Confidence**

9016  
9005

**Cowboy**

1001  
1011  
8003

**Model:** **UDEN-500K**

**Rated consumption:** 405-472 W

**Rated voltage:** 220-230 V

**Dimensions (with fixings):**

Width	594 mm
Length	594 mm
Thickness	14 (35) mm

**V heating:** 20-25 m<sup>2</sup>

**S heating at h = 2.5:** 8-10 m<sup>2</sup>



**Surface temperature:** 80±5 C°

**Weight:** 9,0 kg

**Installation method:** wall mounted

**Become an author of your unique heater!**

*Just offer your own drawing, design or color gamma, and our designers will help realize your original idea into life!*



**Polyptych** – design heaters, consisting of several parts, connected by a general idea or plot, style of performance and a single color solution. Depending on the number of components, they are called diptychs (2 elements), triptychs (3), quadriptychs (4), polyptychs (5 or more elements).

Heating modules of polyptychs can have a variety of capacities, shapes and layouts relative to each other become a central element of the interior or emphasize other accents indoors. Premises that Heated by such design radiators, claim to individuality and uniqueness, and also talk about prosperity and the subtle taste of their master.

### Power, dimensions and prices of UDEN-S® polytypes

The number of heating modules can be very different, according to your choice. In accordance with this, the total power heater and its price.

For example, in the Quadriptych "Africa" (see the next page), the heating element can only be the largest radiator (on the right, with the image of a tree), and the remaining modules - decorative, complementing it. In this case, the total power of the quadriptych is 0.7 kW. The same principle applies when choosing any other polyptych. Everything depends on the capacity, which is necessary for the room where it will be located, and on the wishes of the customer.

The number of components of any polyptych can be increased or decreased, varied with colors, patterns, sizes and power. Our managers and designers will help you choose the heater that best complements your room, create in it an atmosphere of warmth, beauty and coziness.

Create a polyptych of your own design! We will support your desire for individuality and realize the very bold idea.

**The price for each model is negotiated individually, depending on the capacity and number of elements.**

### Diptychs (2 modules)

#### Little Town



9016



9005



475\*978 mm  
700 W



475\*978 mm  
700 W

Power diptych: 1,4 kW

#### Journey



9016



594\*594 mm  
500 W



594\*594 mm  
500 W

NEW!

Power diptych: 1 kW

#### Ukraine



9016



9005



475\*978 mm  
700 W



Panel on metal  
"Glory to Ukraine"  
In a wooden frame  
300\*320 mm

Power diptych: 0,7 kW





## Triptychs (3 modules)

### Atlantis


5021  
6034  
9006



240\*975 mm  
300 W



475\*978 mm  
700 W



240\*975 mm  
300 W

Triptych power \*: 1,3 kW

### Irises

6018  
1015  
1034



240\*975 mm  
300 W



475\*978 mm  
700 W



240\*975 mm  
300 W

Triptych power: : 1,3 kW

### Autumn Blues

1015  
1003  
6018  
1034  
9005  
1018



240\*975 mm  
300 W



475\*978 mm  
700 W



240\*975 mm  
300 W

Triptych power: 1,3 kW

### Hipsters

7040  
7047



594\*594 mm  
500 W



Triptych power: 1,5 kW



## Quadriptychs (4 modules)

### Africa

3004  
9005  
1003  
8003  
2004



475\*330 mm  
200 W




475\*978 mm  
700 W


Triptych power: 1,3 kW

### Life

8003  
8017  
8017  
8023




594\*594 mm  
500 W



1015  
8017  
1001  
1015  
8017

Triptych power: 2 kW

\* Power, if all the elements are heating.



Technology of creating designer heaters with photo printing makes it possible to apply any high quality drawings with photographic accuracy and 100% color rendition.

UV-drawings on the heaters amaze with their beauty and realism. They are absolutely harmless, do not publish odors, and a special protective ultra-thin coating makes them durable and as stable as possible to mechanical damage.

Create your own unique heater, just ordering your image! See how cool it turned out for our customers.

Purr



Highway



Onyx



Cosmos



Mega polis



Walk



Physalis



Lavender





Garden Roses



Fireplace



Spider-Man



Dewdrops



Space



Bon Appetite



Design heater with photo printing  
«Space» in the interior

Models UDEN -500K

## Requirements for images for the order UV pattern:

- resolution: 250-300 dpi;
- format: tiff, jpg, png, psd, eps;
- size: at least 2500 x 3500 pixels (at least 3 MB).

This can be your favorite photo, known reproduction, a landscape that captivates with its naturalness, a stylish 3D image or logo of your company






Ceramic-granite design heaters are energy-saving heating panels and a real find for fans of non-standard design solutions. Their original shapes, textures and manually, the executed décor will become an integral part of any, even the most refined interior, emphasizing your unique style.

The surface of the heater can simulate any natural stone, texture of wood, clay, fabric, skin, traces of scuffs, antiquity, be matte, glossy, structured and have various forms and dimensions. The color palette is close to mild natural colors, although some heaters differ by their bright design accents.

### Color palette of ceramic-granite design heaters






## Equipment

The assortment includes floor and wall ceramic-granite design heaters that different bundled \* and installation option. Choose the heater which is ideal for your premises.

### Wall-mounted heater accessories



### Legs for ceramic heaters

Make your wall heater floor standing and enjoy its soft warmth in every corner of the house - legs for ceramic granite heaters will perfectly cope with this task! Just choose the shape of the legs \*\* that you like more, and our manager will choose the color specifically for your heater model



#### Leg strap for ceramic heater

Dimensions: 600x90x120 mm  
Material: porcelain stoneware  
Weight: 9.8 kg  
Color: any (on order)



#### Legs-cones for ceramic heater

Dimensions (height, diameter): 100, 190 mm  
Material: porcelain stoneware  
Weight: 6,4 kg  
Color: any (on order)



The Leg- Bar

to your  
choice

The legs -Cones



\* The set of floor models includes individual legs to the heater. Legs for wall-mounted models To be ordered separately.  
\*\* The possibility of using the legs to a particular heater model is indicated in its description






Model: KEN-600  
 Dimensions,  $\pm 5$  mm: 975/465/30 mm  
 Nom. Consumption: 495-577 W  
 V heating: 25-30 m<sup>2</sup>  
 S heating at h = 2.5: 10-12 m<sup>2</sup>  
 Weight: 29,5 kg  
 Color: any (on order)  
 Installation method: wall / floor



Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 785/460/30 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>2</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 23 kg  
 Color: any (on order)  
 Installation method: wall / floor



Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 785/460/30 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>2</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 23 kg  
 Color: any (on order)  
 Installation method: wall / floor



Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 785/460/30 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>2</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 23 kg  
 Color: any (on order)  
 Installation method: wall / floor



Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 785/460/30 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>2</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 23 kg  
 Color: any (on order)  
 Installation method: wall / floor

*Heaters «Tapestry collection» impress with a variety of relief drawings and smooth surfaces. Their textures correspond to the name heater and can be performed in one from flowers according to the presented assortment paints of ceramic-granite design heaters. Décor of each heater is handmade, so two similar models have a slight difference and their pictures don't repeat one another.*





### Kitten Gav



Model: KEN-500  
 Dimensions (with legs), ± 5 mm: 565/640/35 (205) mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 31 kg  
 Color: any (on order)  
 Installation method: floor

### Spike



Model: KEN-500  
 Dimensions (with legs), ± 5 mm: 555/610/35 (200) mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 29 kg  
 Color: any (on order)  
 Installation method: floor

### Stepanych



Model: KEN-500  
 Dimensions (with feet), ± 5 mm : 500/620/35 (120) mm  
 Nom. Consumption: 315-367 Br  
 V heating: 15-20 m<sup>3</sup>  
 S heating at h = 2.5: 6-8 m<sup>2</sup>  
 Weight: 28 kg  
 Color: any (on order)  
 Installation method: floor

### Cotofey




Model: KEN-500  
 Dimensions (with feet), ± 5 mm : 485/830/40 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 28 kg  
 Color: any (on order)  
 Installation method: floor

### Felix



Model: KEN-500  
 Dimensions (with legs), ± 5 mm : 830/540/40 (100) mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 33 kg  
 Color: any (on order)  
 Installation method: floor


### Hobbiton



Model: KEN-500  
 Dimensions (with legs), ± 5 mm : 840/540/35 (115) mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 42 kg  
 Color: any (on order)  
 Installation method: floor

*Simple, recognizable characters and images are painted by skilled craftsmen manually. They are a source of joy for the baby and soft ecological heating of the children's room.*

Dogrose



Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 785/460/30 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 23 kg  
 Color: any (on order)  
 Installation method: wall / floor

Attraction




Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 785/460/30 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 23 kg  
 Color: any (on order)  
 Installation method: wall / floor

Quay Quarter



Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 785/460/30 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 23 kg  
 Color: any (on order)  
 Installation method: wall / floor

Cilia




Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 785/460/30 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 23 kg  
 Color: any (on order)  
 Installation method: wall / floor

Star Alatyr



Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 790/520/40 (300) mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 10-12 m<sup>2</sup>  
 Weight: 40 kg  
 Color: any (on order)  
 Installation method: floor

Romans



Model: KEN-500  
 Dimensions,  $\pm 5$  mm: 785/460/30 mm  
 Nom. Consumption: 387-450 W  
 V heating: 20-25 m<sup>3</sup>  
 S heating at h = 2.5: 8-10 m<sup>2</sup>  
 Weight: 23 kg  
 Color: any (on order)  
 Installation method: wall / floor

*There is a unique combination of the texture of ceramic granite and engraving. Impressions and patterns on the stone look as a perfect reminder of the eternal beauty of the universe around us.*





Model: KEN-600  
Dimensions, ± 5 mm: 525/855/30 mm  
Nom. Consumption: 495-577 W  
V heating: 25-30 m<sup>3</sup>  
S heating at h = 2.5: 10-12 m<sup>2</sup>  
Weight: 26,5 kg  
Color: any (on order)  
Installation method: wall mounted




Model: KEN-400  
Dimensions, ± 5 mm: 550/550/35 mm  
Nom. Consumption: 315-367 W  
V heating: 15-20 m<sup>2</sup>  
S heating at h = 2.5: 6-8 m<sup>2</sup>  
Weight: 22 kg  
Color: any (on order)  
Installation method: wall mounted



Model: K3H-500  
Dimensions, ± 5 mm: 485/810/30 mm  
Nom. Consumption: 387-450 W  
V heating: 20-25 m<sup>2</sup>  
S heating at h = 2.5: 8-10 m<sup>2</sup>  
Weight: 26 kg  
Color: any (on order)  
Installation method: wall mounted



Model: KEN-600  
Dimensions, ± 5 mm: 965/470/30 mm  
Nom. Consumption: 495-577 W  
V heating: 25-30 m<sup>3</sup>  
S heating at h = 2.5: 10-12 m<sup>2</sup>  
Weight: 32 kg  
Color: any (on order)  
Installation method: wall mounted



Model: KEN-600  
Dimensions, ± 5 mm: 975/465/30 mm  
Nom. Consumption: 495-577 W  
V heating: 25-30 m<sup>3</sup>  
S heating at h = 2.5: 10-12 m<sup>2</sup>  
Weight: 31,5 kg  
Color: any (on order)  
Installation method: wall mounted



Porcelain stoneware design  
«Pumpkin Lady» in the interior

### Custom-made ceramic heaters

If you liked some kind of heater model, but you see its design (shape, color or pattern) a bit in another way or you want to order a ceramic-granite heater on your own sketch-boldly suggest your version, and we will try to implement it. The price and the deadline for fulfilling such orders are negotiated individually.




Picture of your favorite drawing, pattern, hero, object decorating your interior, symbol or company logo - everything that you love, appreciate, everything that makes you worry again and again bright emotions and causes warmth, can be embodied in a hand-written authoring list design heaters UDEN-S®.

See how we implemented the most original ideas of our customers, and now - owners not only of an economical heating system, but also of a unique work art, created exclusively for them!

We can do almost everything - original drawings, intricate patterns, a variety of styles, techniques and types of graphics.

Use warm panels as an element of your corporate style, ordering the application of the company logo. This is non-standard, beautiful and truly warm decision. The corporate logo helps to create favorable image in the eyes of partners and customers, forming a positive attitude towards your company.

Such heaters will become a unique element in creating an interior design for an office space and the final note in the formation of a single corporate image.



**Design-heater «Determination»**

is made using elements "Polygon-art" - one of the most interesting styles in graphic art



Design Heater  
«House of Heat»



Design heater  
with Organ logo Hall  
of Dnepropetrovsk




Design Heater  
«Inter»

Popular among our Ukrainian and foreign partners are the so-called «warm flags». Beautiful, stylish and very patriotic, is not it?



Design Heater  
«Britannia»



Design Heater  
«Norway»

*Favorite service of the client «Cherry» in the Ukrainian style and heating equipment with a picture of its ornament, skillfully executed by the designer, complement the interior of the kitchen and bring the national coloring in a modern apartment.*



*Design Heater  
«The Cherry Orchard»*



*Design-heater «Cherry Orchard»  
in the kitchen of the customers*

*Figures «Fish Robbie» and «Heart» from the collection of the famous German artist Thomas Hoffman, work which is the basis of the living room decorator*



*Figure fish on the wall design heater triptych created by the motive of the author's figure. It, like a painting of the refined picture of diptych on metal with the image of the heart, is addition to the heater and a surprise for the client from our designers.*



*Original picture sent by parents of a small customer with an image favorite heroine baby from the cartoon «Monster High» - Operetta.*



*Design Heater  
«Operetta»*



*Increased fragments of design-Radiator  
«Operetta»*

*We also make children's dreams come true.*

*The design heater above was made on an individual order for a seven-year room Girls, keen on the cartoon «Monster High».*



**«All rooms and offices are warm and cozy»**

«I, Shulga Vasily Dmitrievich, live in Kaniv really two years ago in one day I refused the central heating of the enterprise for 500 square meters and purchased ceiling heating panels 60 by 60 cm in a quantity of about 30 pieces for all working rooms and offices. Friends and acquaintances frightened me - they said it would be cold in winter. But I took a chance to buy and install it. And even to my surprise the first winter passed without problems.

The cost of these Panels in comparison with the cost of central urban heating (this is even before the rise in price of heating), I paid off For the first winter. Now I enter the third winter without fear and doubt. All rooms and offices are warm and cozy. Panels It is not visible at all - they are mounted in a false ceiling. It should also be noted that I have never included them in Maximum power. So I advise to buy these UDEN-S panels without a doubt and fear. Everything will be fine - warm and economically. Sincerely Vasily».

*Shulga Vasily Dmitrievich, town of Kanev, 13.12.2016*

**«And now we have been heating up for three years with remarkable and economical heating»**

«Three years ago, opened a hair salon. It was summer, but it was necessary to think about winter. The room had no heating. They began feverishly fumbling on an Internet in search of economical and comfortable heating. UDEN fell on my eyes. I read, talked and talked, then analyzed and ventured. And now we have been heating up for three years a wonderful and Economical heating. We are satisfied.

We have 700 three pieces. Consumption can not say exactly by heating how much, because there are still many electrical appliances (boiler, hair dryers, dryers, etc.). Last fall, we ordered a second hairdresser. In autumn they decided to go home. We have become interrupted by gas in the city, and we solved this problem! Thanks to the developers and creators for a wonderful heating system».

*Natalia Ostapenko, Genichesk, 11.23.2016*

**«The work of the new UDEN-s was simply struck, really warm and very pleasant air, Not over dried!»**

«Good day :). Ordered two heaters UDEN-s 700, came) well, seeing the size, not that I was glad, almost fell down in surprise, you just would have seen what was up to this :) (well, that would have approximated one heater pulled 2 kW per hour). The work of the new UDEN-s was simply struck, really warm and very pleasant air, not over-dried! AND honestly, after a couple of days of life with the new UDEN-s, I wanted to put one in each room, and I'm sure that in it soon this will happen:).

I will not say that the minus, but I personally think it would be, the wires have already been screwed and white color, well, just an incredible service, although everything is fine, comfortable, culturally, honestly, pleasantly! Thank you. You are great! I will advise everyone, and still take myself)))! Let everything be all right! Thank you for the warmth! Vyacheslav Shershun and all and my family, very grateful, and grateful!»

*Vyacheslav Shershun, 11.03.2016*

**«...Constructor of heating LOW BOW and many thanks!!!»**

«Amazing people, while others do not put, do not use, do not want to believe in new technologies (in this case for heating). Well, for free. I put in a 3-room apartment, and almost a year paid for the purchase of UDEN-S, because they were Cheaper. I installed the first one in the city, now ten families use them.

Installation and calculation of heating at the level of secondary school, the more so that the company chewed everything up and painted on the site that they honor and praise. The heating designer is LOW BOW and thank you very much !!! People, dare, think soberly, not on skeptical emotions and will be satisfied. I want the employees of the company to express separate THANKS for a fast, competent and well-coordinated work with clients. Honor to you, and praise!»

*Vitaliy, 03.09.2015*



**«...In operation it is simple and, what has still very much pleased me - is economical!»**

«When choosing a heater for me, the most important factor was safety! After reading and reviewing a bunch of articles and characteristics, I realized that there is nothing safer than the products of the firm "UDEN-S". Without thinking for a long time, I bought 700-ku for testing, and did not regret a single second. The goods arrived on time, thanks to the workers for their punctuality!

As a result, the use of the device is very sufficient. I installed it myself for no more than 5 minutes. In operation it is simple and I am still pleased – it is economical !!! Next year I plan to install a full heating system of the company "UDEN-S"!!! »

*Shagunov Nikolay, village. Talalaevka, Chernihiv region, 30.12.2015*

**«...Absolutely not afraid I left it turned on at night with a thermostat, and calmly I was asleep: my child is warm and safe!»**

«Good afternoon! Decided and I write your review. With heaters, UDENS accidentally ran into the Internet. I read all that she could on the Internet site. There was a lot of doubt: is it all as good as they write, what is the catch, is it really so economical? But curiosity prevailed, and I persuaded my husband to try to buy a panel as an extra heating for our child. Ordered, quickly arrived, installation took 10 minutes. Included ... and what was the surprise when the heat felt almost immediately, while it is so soft and pleasant. After a night of work the hygrometer showed the usual 55% humidity, which was very important in the children's room. The way it helped us out in the off-season when the central heating was cut down in April amid the cold, I can not convey. I am absolutely not afraid I left it on at night with a thermo regulator, and was quietly asleep: my child is warm and safe!

And I warmed up the end wall, which in the off-season began to mold in the corners, and this problem also left. And yes, I forgot to say about the bill for light, and so in comparison with an oil heater, which was switched on for a short time to warm up the room slightly, the account was reduced approximately by 40%, which also became a pleasant bonus. The panel looks so aesthetically in the interior. All the guests ask at once, and what it is there so beautiful?! Thank you to the company UDENS for such a miracle for our home, system you success and prosperity!».

*Irina Karachevtseva, Kharkov, 18.08.2015*

**«...I did not expect that it will turn out so beautiful and convenient»**

«We have everything as usual, and that is, on the contrary, we first made repairs expensive, and then we realized that we urgently need to change heating, I just could not stand the repair again, so my husband offered an alternative - a warm plinth UDEN-S. I expected that it would turn out so beautifully and comfortably, the room is always warm; I'm not worried that the child accidentally touches, For accurate installation a special thanks to all the guys».

*Victoria, Kiev, 18.05.2015*

**«...The guys installed everything quickly and in a few days the child did not have to be confused in a hundred clothes...»**

«Since I'm the loudest mother in the kindergarten, I'm worried about the temperature in the room where the kids spend the whole day when in the fall the children began to get sick massively because the temperature was lower in the gaming room and the bedroom, I scored panic and achieved to put additional heating. At first many parents offered to put the usual Oil heaters, but I managed to convince them that it is not safe for the baby and offered infrared wall heaters UDEN-S and strangely enough many parents supported me. The guys installed everything quickly and after a few days our child did not need to be wrapped in a hundred clothes, and he normally felt himself in ordinary clothes».

*Irina, 23.02.2015*

**«...they stopped freezing and it did not turn out very much in accounts for light»**

«This cold winter was drowned weakly and we had an additional electric heating UDEN-S. I liked the attitude towards customers - picked up, advised, calculated. As a result, they did not freeze and in the bills for light it was not very high. I am satisfied with the heater as a whole.».

*Svetlana Kasyanova, Kyiv, 25.05.2015*

**Every feedback is important to us, because it is thanks to you that we improve and develop.  
Send your feedback on the heaters and work of our company to [info@uden-s.ua](mailto:info@uden-s.ua).  
We will be glad to see you among our clients!**



**"UDEN-Ukraine" LLC,  
5a Zagorodnaya Str., Kirovograd,  
Ukraine, 25014**

**FOR COOPERATION QUESTIONS, APPLY:**

**Dealer network development  
department in Ukraine**  
+38 097 305-30-40  
+38 050 512-47-03  
info@uden-s.ua

**Foreign Economic Activity Department**  
+38 098 579-14-41  
Skype: uden\_s  
Info@uden-s.ua

**2017**